

Planargard[®] NMB Bulk CMP Filters

Advanced node CMP slurry filtration with leading-edge Nanofiber Continuous Melt-blown technology

Entegris' extensive CMP process knowledge and product innovation focus enabled the development of Planargard[®] NMB filters to address bulk CMP filtration challenges. The Planargard NMB CMP slurry filter is constructed of an advanced polypropylene membrane technology that produces a Nanofiber Continuous Melt-blown (NMB) fiber in-depth media structure. The NMB technology enables yield improvement in bulk chemical distribution system (BCDS) applications at advanced nodes.

To meet all your CMP application needs, our extensive product portfolio includes Planargard NMB filters with retention ratings from 0.05 up to 0.5 µm, and Planargard NMB Plus filters with retention ratings from 0.7 up to 5.0 µm. Both models are available in 10", 20", 30", and 40" cartridge lengths.

Nanofiber Continuous Melt-blown Technology

Planargard NMB filters contain nanofibers and multilayer NMB media for an improved flow path with high retention. The large gradient design can maximize particle-loading capacity and reduce face-velocity due to increased media porosity, providing long-lasting filter performance without compromising filter retention performance.

Target Application

- Ceria and colloidal silica bulk slurry filtration
- Sub-fab CDS filtration



FEATURES & BENEFITS


Low shear filtration	<p>Enables high retention performance for bulk chemical distribution system (BCDS) applications at advanced nodes</p> <p>Prevents filtered slurry to re-agglomerate after aging</p>
Improved nanofiber continuous melt-blown technology	<p>Provides superior defect reduction performance in next-generation CMP slurry</p> <p>Reduces slurry large particle count (LPC), which in turn minimizes the probability of micro-scratching during polishing</p>
Optimized graded depth structure	<p>Longer-lasting filter performance</p> <p>Increased particle-holding capacity</p> <p>Lower face-velocity due to increased media porosity</p>
High-volume filter manufacturing	<p>Consistently high-quality performance</p> <p>More efficient process with shortened lead time to customers</p>

SPECIFICATIONS

Materials	Membrane	Polypropylene
	Support	Polypropylene
	Cartridge O-ring	EPR, FKM, Silicone, 2-222
Retention rating	Planargard NMB	0.05, 0.07, 0.1, 0.3, 0.5 μm
	Planargard NMB Plus	0.7, 1, 3, 5 μm
Maximum operating conditions	Maximum temperature:	80°C (176°F)
	Maximum forward differential pressure:	0.48 MPa (4.8 bar, 70 psi) @ 25°C (77°F)


DIMENSIONS

Code O Filters




Length	A	B
10"	240 mm \pm 2 mm (9.45" \pm 0.08")	263 mm \pm 2 mm (10.35" \pm 0.08")
20"	494 mm \pm 2 mm (19.45" \pm 0.08")	517 mm \pm 2 mm (20.35" \pm 0.08")
30"	748 mm \pm 3 mm (29.45" \pm 0.12")	771 mm \pm 3 mm (30.35" \pm 0.12")
40"	1002 mm \pm 3 mm (39.45" \pm 0.12")	1024 mm \pm 3 mm (40.31" \pm 0.12")

Code F Filters




Length	A	B
10"	240 mm \pm 2 mm (9.45" \pm 0.08")	251 mm \pm 2 mm (9.88" \pm 0.08")
20"	494 mm \pm 2 mm (19.45" \pm 0.08")	505 mm \pm 2 mm (19.88" \pm 0.08")
30"	748 mm \pm 3 mm (29.45" \pm 0.12")	758 mm \pm 3 mm (29.84" \pm 0.12")
40"	1002 mm \pm 3 mm (39.45" \pm 0.12")	1013 mm \pm 3 mm (39.88" \pm 0.12")

View of PP Chemlock® Key on Cartridge




PERFORMANCE DATA

Planargard NMB 10" Cartridge Filters




Planargard NMB Plus 10" Cartridge Filters



ORDERING INFORMATION

Planargard NMB Bulk CMP Filters: part number

PNB _____ 6 Y



Example: PNB03F10E6

- PNB = Planargard NMB
- Filtration media = 03
- Cartridge code = F
- Length = 10"
- O-ring = EPR
- Quantity = 6
- Chemlock key option = Y

FOR MORE INFORMATION

Please call your Regional Customer Service Center today to learn what Entegris can do for you. Visit entegris.com and select the [Contact Us](#) link to find the customer service center nearest you.

TERMS AND CONDITIONS OF SALE

All purchases are subject to Entegris' Terms and Conditions of Sale. To view and print this information, visit entegris.com and select the [Terms & Conditions](#) link in the footer.



Corporate Headquarters

129 Concord Road
 Billerica, MA 01821
 USA

Customer Service

Tel +1 952 556 4181
 Fax +1 952 556 8022
 Toll Free 800 394 4083

Entegris®, the Entegris Rings Design™, Pure Advantage™, and other product names are trademarks of Entegris, Inc. as listed on entegris.com/trademarks. All third-party product names, logos, and company names are trademarks or registered trademarks of their respective owners. Use of them does not imply any affiliation, sponsorship, or endorsement by the trademark owner.

©2012–2020 Entegris, Inc. | All rights reserved. | Printed in the USA | 4423-6028ENT-0920