Reticle Pod Purge Cabinets

Enable reticle pod storage and gas purge

Reticle purge cabinets join our comprehensive portfolio of reticle handling and storage solutions that help maintain a contamination-free environment. Cabinet designs support all 150 mm reticle SMIF pods (RSP150), 200 mm reticle SMIF pods (RSP200), and extreme ultraviolet light (EUV) reticle pods.

Cabinets are available with one or two purge gases and up to 84 purge locations, enabling pods to be individually purged to reduce particles and moisture within the pod. Each cabinet includes a pod monitoring system that enables traceability and sufficient purge time.



Enables individual purging to reduce particles and moisture within reticle pods

APPLICATIONS

- Reticle pod storage
- Reticle pod purge

FEATURES & BENEFITS

| Ergonomic design | Enables safe loading by fab personnel | | |
|-----------------------------------|---|--|--|
| RFID read/write capability | Enables pod traceability | | |
| Integrated user interface | Provides information on pod position and purge time | | |
| Options for number of purge nests | Provides design flexibility and versatility | | |
| Large installed customer base | Implies proven product reliablity and performance | | |
| | | | |



SPECIFICATIONS

| Capacity | 24, 36, 48, or 84 purge nests | |
|-----------------------|---|--|
| Purge interface | Either RSP150 SMIF or RSP200/EUV | |
| RFID recognition | Read/write capability | |
| Doors | Available if required | |
| Purge gas | 1 or 2 | |
| RSP150 SMIF footprint | 1.56 M L x 0.66 M W x 1.97 M H (5.12' L x 2.17' W x 6.46' H) | |
| RSP200/EUV footprint | 2.20 M L x 0.50 M W x 2.07 M H (7.22' L x 1.64' W x 6.79' H) | |
| | 3.33 M L x 0.50 M W x 2.07 M H (10.93' L x 1.64' W x 6.79' H) | |

ORDERING INFORMATION

| INTERFACE | PURGE LOCATIONS | PURGE GASES | PRESSURE CONTROLLER |
|------------|--|--|--|
| RSP150 | 48 | 1 | No |
| RSP150 | 84 | 1 | No |
| RSP150 | 84 | 1 | Yes |
| RSP200/EUV | 24 | 1 | No |
| RSP200/EUV | 36 | 1 | No |
| RSP200/EUV | 48 | 1 | No |
| RSP200/EUV | 48 | 2 | No |
| | RSP150 RSP150 RSP150 RSP200/EUV RSP200/EUV RSP200/EUV | RSP150 48 RSP150 84 RSP150 84 RSP200/EUV 24 RSP200/EUV 36 RSP200/EUV 48 | RSP150 48 1 RSP150 84 1 RSP150 84 1 RSP200/EUV 24 1 RSP200/EUV 36 1 RSP200/EUV 48 1 |

FOR MORE INFORMATION

Please call your Regional Customer Service Center today to learn what Entegris can do for you. Visit entegris.com and select the Contact Us link to find the customer service center nearest you.

TERMS AND CONDITIONS OF SALE

All purchases are subject to Entegris' Terms and Conditions of Sale. To view and print this information, visit $\underline{\text{entegris.com}}$ and select the $\underline{\text{Terms } \& \text{Conditions}}$ link in the footer.



Corporate Headquarters 129 Concord Billerica, MA 01821 USA

Customer Service Tel +1 952 556 4181 Fax +1 952 556 8022 Toll Free 800 394 4083

Entegris®, the Entegris Rings Design®, and other product names are trademarks of Entegris, Inc. as listed on <u>entegris.com/trademarks</u>. All third-party product names, logos, and company names are trademarks or registered trademarks of their respective owners. Use of them does not imply any affiliation, sponsorship, or endorsement by the trademark owner.

©2021 Entegris, Inc. | All rights reserved. | Printed in the USA | 1255-11681ENT-0721