# Wafergard® GN Gas Filter Gun

Easy-to-use, lightweight POU gas filter

The Entegris Wafergard® GN gas filter gun is designed for point-of-use filtration of compressed gas. The filter element is an exclusive Entegris design and provides these significant advantages.

## Superior PTFE Membrane

The PTFE membrane in the Wafergard GN filter element is rated for  $0.003~\mu m$  particle retention in gas applications. In addition, the unique properties of the membrane eliminate particle shedding.

# High Effective Filtration Area

The Wafergard GN filter element provides 10 cm² of effective filtration area. This increased surface area results in higher flow rates, more effective wafer cleaning, and less frequent changeout.

# Reliable Performance


The Wafergard GN filter element is manufactured in a clean environment and is 100% pretested and preflushed to assure reliable performance.

#### Corrosion Resistance

The white nylon design of the filter gun makes it resistant to corrosion in acid and most solvent environments.



#### PERFORMANCE DATA






# **SPECIFICATIONS**

Materials	Gun	Body, trigger	White nylon-molded body		
		Valve system	Stainless steel 304		
		O-ring	EPDM		
		Tubing	Polyurethane		
	Cartridge filter	Membrane	PTFE		
		Shell, support	Polypropylene		
Maximum operating conditions	Maximum forward differential pressure: 0.4 MPa @ 20°C (68°F)				
	Maximum reverse differential pressure: 0.03 MPa @ 20°C (68°F)				
	Maximum operatin 50°C (122°F)	g temperature with fi	ilter:		
Weight	Approximately 150 g (5.29 oz)				
Connections	Filter gun	1/4" NPTF inlet NI	1/4" NPTF inlet NPT female		
Particle retention	0.003 µm				
Retention	Greater than 99.999999% removal of all particles (referenced at the most penetrating particle size)				

### **DIMENSIONS**



#### **ORDERING INFORMATION**

Part number	Description		
WGGB 01 KAN	Wafergard GN gas filter gun		
WGFG 01 KL0	Wafergard GN gas filter, 10/pack		
P03203J	Trigger repair kit (includes 1 trigger, 1 spring, and 1 O-ring)		
XX67 000 WH	Polyurethane tubing with fitting, 2.1 m/7 ft		

### FOR MORE INFORMATION

Please call your Regional Customer Service Center today to learn what Entegris can do for you. Visit <a href="mailto:entegris.com">entegris.com</a> and select the <a href="mailto:entegris.com">Contact Us</a> link to find the customer service center nearest you.

## TERMS AND CONDITIONS OF SALE

All purchases are subject to Entegris' Terms and Conditions of Sale. To view and print this information, visit <a href="mailto:entegris.com">entegris.com</a> and select the <a href="mailto:Terms & Conditions">Terms & Conditions</a> link in the footer.



Corporate Headquarters 129 Concord Road Billerica, MA 01821 USA

Customer Service
Tel +1 952 556 4181

Fax +1 952 556 8022 Toll Free 800 394 4083

Entegris®, the Entegris Rings Design®, and other product names are trademarks of Entegris, Inc. as listed on <a href="entegris.com/trademarks">entegris.com/trademarks</a>. All third-party product names, logos, and company names are trademarks or registered trademarks of their respective owners. Use of them does not imply any affiliation, sponsorship, or endorsement by the trademark owner.

©2002-2019 Entegris, Inc. | All rights reserved. | Printed in the USA | 4524-5669ENT-0619